

|                    |  |                                                                                    |  |
|--------------------|--|------------------------------------------------------------------------------------|--|
| <b>FÉM</b>         |  |                                                                                    |  |
| Munka megnevezése: |  | <b>Vállaj 576 HRSZ alatti Általános Iskola<br/>energetikai felújításának terve</b> |  |
| ALAPRAJZI JEL:     |  | MÉRET:                                                                             |  |
| AJ-06              |  | 150/210                                                                            |  |

|                                                      |                                                                                      |
|------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Gyártmány:</b>                                    | <b>HÖRMANN ES 50</b>                                                                 |
| <b>Fajta:</b>                                        | beltéri ajtó                                                                         |
| <b>Tokszerkezet:</b>                                 | 3 oldali PVC tömítőprofil, felhegesztett pántalsó, tiplis falazófülek                |
| <b>Kilincs:</b>                                      | Hoppe BAden "U alakú" rozsdamentes acél körrozettás kilincsgarnitúra                 |
| <b>Nyitás mód:</b>                                   | asszimmetrikus, 1 db balos, 1 db jobbos                                              |
| <b>Vasalat:</b>                                      | Galvanizált horganyzású V 0020 pántfelsők, fixen merevítőbetétekbe vannak csavarozva |
| <b>Üvegezés:</b>                                     |                                                                                      |
| <b>Fal anyaga, vastagsága:</b>                       | Meglévő 10 cm vastag falazatba                                                       |
| <b>Parapet magasság:</b>                             | 0 cm                                                                                 |
| <b>Tok szín:</b>                                     | Szürkealumínium RAL 9007                                                             |
| <b>Szárnyszín:</b>                                   | Törtfehér RAL 9002                                                                   |
| <b>Kiegészítés:</b>                                  | A pontos méretek a helyszínen ellenőrizendők!                                        |
| <b>Megjegyzés:</b>                                   |                                                                                      |
| <b>A pontos méretek a helyszínen ellenőrizendők!</b> |                                                                                      |

|                |                |               |                  |
|----------------|----------------|---------------|------------------|
| <b>Készül:</b> | <b>jobbos:</b> | <b>balos:</b> | <b>összesen:</b> |
|                |                |               | <b>2 db</b>      |

The drawing shows a front view of a double door with a width of 1,50 m and a height of 2,10 m. The door is divided into four quadrants by a vertical and a horizontal line. The vertical line is 1,00 m from the left edge, and the horizontal line is 1,50 m from the top edge. The door is labeled 'AJ-06' in a circle. A label 'látathatósági fólia' points to the upper right quadrant. A label 'automata küszöbvel ellátott' points to the threshold. A label 'tbn. min. 90 cm!' points to the threshold height. The door is shown in a cross-section view, indicating it is a double door.